


# PERSONNEL MANAGEMENT KIOSK WIRE INTERFACE

## Port Description



<b>Relay</b>	<b>Terminal Electrical Definition</b>
Pin1	COM
Pin2	NO

<b>Wiegand Input</b>	<b>Terminal Electrical Definition</b>
Pin1	D0_IN
Pin2	D1_IN
Pin3	12V
Pin4	GND

<b>Wiegand Output</b>	<b>Terminal Electrical Definition</b>
Pin1	D0_OUT
Pin2	D1_OUT
Pin3	GND

<b>232 Serial Port</b>	<b>Terminal Electrical Definition</b>
Pin1	232_RX1
Pin2	232_TX1
Pin3	GND



CORPORATE HEADQUARTERS  
 312 S Pine Street, Aberdeen, NC  
 sales@mzero.com  
 + 1 866 454 6757


SOFTWARE DEVELOPMENT LAB  
 30 Eglinton Ave, Ste 808, Mississauga, Ontario, Canada

*Component specifications subject to change without notice. Revision Date: August 11, 2020*

*This device is not FDA-cleared or approved. This temperature device should not be solely or primarily relied upon to diagnose or exclude a diagnosis of COVID-19, or any other disease or health condition. Elevated body temperature in the context of use should be confirmed with secondary evaluation methods, such as a non-contact infrared thermometer or clinical grade contact thermometer.*

# PERSONNEL MANAGEMENT KIOSK WIRE INTERFACE

## Port Description



<b>Relay</b>	<b>Terminal Electrical Definition</b>
Pin1	COM
Pin2	NO

<b>Wiegand Input</b>	<b>Terminal Electrical Definition</b>
Pin1	D0_IN
Pin2	D1_IN
Pin3	12V
Pin4	GND

<b>Wiegand Output +232 Serial Port</b>	<b>Terminal Electrical Definition</b>
Pin1	D0_OUT
Pin2	D1_OUT
Pin3	GND
Pin4	232_TX1
Pin5	232_RX1



CORPORATE HEADQUARTERS  
 312 S Pine Street, Aberdeen, NC  
 sales@mzero.com  
 + 1 866 454 6757

SOFTWARE DEVELOPMENT LAB  
 30 Eglinton Ave, Ste 808, Mississauga, Ontario, Canada

*Component specifications subject to change without notice. Revision Date: August 11, 2020*

*This device is not FDA-cleared or approved. This temperature device should not be solely or primarily relied upon to diagnose or exclude a diagnosis of COVID-19, or any other disease or health condition. Elevated body temperature in the context of use should be confirmed with secondary evaluation methods, such as a non-contact infrared thermometer or clinical grade contact thermometer.*